

Hypersphere space-time model

(draft)

Abstract

The origin of the three spatial dimensions as well as that of time is deduced from fundamental principles (symmetry, homogeneity). The structure resulting from this construction looks like an hypersphere of which each energy particle constitutes a dimension, forming a loop or a string covering the whole universe. This model shall be linked to the existing theories that are in adequation with the experience.

Generation of space

Nothing (*symmetry*) generating something (*energy*) can be expressed by the addition and the multiplication of an energy quantum (a) and its opposite ($\bar{a}$) :

$$a + \bar{a} = 0 \text{ (symmetry)}, a\bar{a} = 1 \text{ (energy)} \rightarrow a = i \text{ and } \bar{a} = -i \text{ where } i^2 = -1.$$

The quantum (a) is a complex number ($a = a_1 + ia_2 \in \mathbb{C}$, $a_1, a_2 \in \mathbb{R}$, $i^2 = -1$) so it behaves like a wave, more precisely like the $\pi/2$ phase of a virtual (potential) standing wave. It's the same for the opposite ($\bar{a}$).

The quantum (a) and its opposite ($\bar{a}$) form a pair of complex numbers ($a, \bar{a}$). Energy conservation implies that the multiplication of two pairs of quanta shall not be null. This is only possible using the quaternion representation for the pair of complex numbers.

A quaternion (q) is defined by

$$q = a + \bar{a}j = a_1 + ia_2 + \bar{a}_1j + i\bar{a}_2j = a_1 + ia_2 + j\bar{a}_1 + k\bar{a}_2 \quad \text{where } j^2 = -1, ij = k = -ji,$$

or in a more general notation

$$q = s + ix + jy + kz = s + \vec{v} \quad \text{where } s, x, y, z \text{ are scalar } \in \mathbb{R}, i^2=j^2=k^2=ijk=-1, \\ \vec{v} = (x,y,z) \text{ is a 3 dimensional vector}$$

The result of the product of two non-zero quaternions (q) and (q') is always a non-zero quaternion

$$qq' = (s+\vec{v})(s'+\vec{v}') = (ss' - \vec{v} \cdot \vec{v}') + (s\vec{v}' + s'\vec{v} + \vec{v} \times \vec{v}')$$

where the scalar part is $(ss' - \vec{v} \cdot \vec{v}')$ and the vectorial part is $(s\vec{v}' + s'\vec{v} + \vec{v} \times \vec{v}')$, $\vec{v} \cdot \vec{v}' = xx' + yy' + zz'$ is the scalar product of vectors and $\vec{v} \times \vec{v}' = (yz' - y'z, zx' - z'x, xy' - x'y)$ the vectorial product of vectors. The product of quaternions is not commutative because the vectorial product is anti-commutative ($\vec{v} \times \vec{v}' = -\vec{v}' \times \vec{v}$).

The **conjugate** ($\bar{q}$) of the quaternion (q) is defined by

$$\bar{q} = s - \vec{v} = s - ix - jy - kz$$

which implies

- the **bra-ket** product : $\langle q|q' \rangle = q\bar{q}'$
- the square **norm** : $\|q\|^2 = \langle q|q \rangle = q\bar{q} = s^2 + \vec{v} \cdot \vec{v} = s^2 + x^2 + y^2 + z^2 \in \mathbb{R}$
- the **unitary quaternion** : $\|q\| = 1$
- the **inverse** : $q^{-1} = \bar{q}/\|q\|^2$ because $qq^{-1} = q\bar{q}/\|q\|^2 = 1$
- the right **division** : $q/q' = qq'^{-1} = q\bar{q}'/\|q'\|^2 = \langle q|q' \rangle / \langle q'|q' \rangle$
- the left **division** : $q \backslash q' = q'^{-1}q = \bar{q}'q/\|q'\|^2 = \langle \bar{q}'|q \rangle / \langle q'|q' \rangle = \overline{\langle q|q' \rangle} / \langle q'|q' \rangle = \overline{(q/q')}$
- the **commutator** : $[q, q'] = 1/2(\langle q|q' \rangle - \langle q'|q \rangle) = s'\vec{v} - s\vec{v}' - \vec{v} \times \vec{v}'$
- the **anti-commutator** : $\{q, q'\} = 1/2(\langle q|q' \rangle + \langle q'|q \rangle) = ss' + \vec{v} \cdot \vec{v}'$
 $\rightarrow \langle q|q' \rangle = \{q, q'\} + [q, q']$
- the **orthogonality** : $\{q, q'\} = 0 \rightarrow [q, q'] \neq 0$ if $q \neq 0$ and $q' \neq 0$
 $\rightarrow \|q+q'\|^2 = \langle q+q'|q+q' \rangle = \langle q|q \rangle + \langle q|q' \rangle + \langle q'|q \rangle + \langle q'|q' \rangle = \langle q|q \rangle + \langle q'|q' \rangle = \|q\|^2 + \|q'\|^2$

définir indépendance par orthogonalité

According to the *homogeneity* principle, all quaternions issued by the ($a, \bar{a}$) quanta are identicals

and are supposed to be unitary ($||q|| = 1$). The quaternion corresponding to $(a, \vec{a})$ has a vectorial part only. Such a quaternion has a chirality because each dimension has a direction in relation to the two other dimensions, as is the case in our 3D space. A vectorial quaternion is a 3D space.

Le produit bra-ket est un moyen pour représenter l'interaction.

Indistinguishability of quaternions means that all the quaternions have the same properties, so they are independent to each other, therefore they are orthogonal : $\{q, q'\} = s's + \vec{v} \cdot \vec{v}' = \vec{v} \cdot \vec{v}' = 0$

La particule qui interagit avec elle-même correspond au propagateur.

Interaction entre particules : seulement si masse ? quand ? pourquoi ?

La masse n'a pas d'inverse (biquaternion).

Produit bra-ket pas associatif -> causalité

Entropie -> information conservée, changement conservé (stationnaire)

Changement interaction faible, sans intervention extérieure (probabilité car temps est probabilité, pas fixe)

Objectif final :

- temps
- particule et antiparticule
- SU3

Temps :

- distance :
 - implique temps
 - liée à chaleur
 - dépend de la vitesse ?
 - casse interaction
- augmentation temps/distance = augmentation indétermination → rotation dans probabilités
- probabilité carré (prq), permet imprécision car 2D dans 3D (relativité restreinte, incertitude)
- réel cinétique, imaginaire potentiel
- conditions aux limites (position)
- $dE/dt = 0$
- changement
 - effet tunnel (rare)
 - augmentation du rayon ou de la longueur d'onde
 - extension de l'univers par exclusion de Pauli ?
- énergie noire si partout (pas de distance)
- probabilité obligatoirement normée
- Evolution $A \rightarrow U^{-1}AU$

Particule

- chiralité = relation, donc 3 dimensions pas totalement indépendantes
- pas d'inverse de particule → fin de l'entropie
- conservation du moment cinétique ($d/dx = 0$) et de la relation 3D lors d'interaction
- intervalle genre temps pour anti-particule
- masse en relation avec s mais pourquoi ? Boson de Higgs ?
- masse carrée négative dans équation de Dirac (biquaternion) ?
- stabilité des particules (brisure de symétrie)
- inversion de chiralité pour la masse (image)
- observable (interaction) → brisure de symétrie
- interaction/intrication par état produit

- interaction = espace-temps
- constante de couplage dépend de la vitesse
- charge change pour anti (pas anti pour neutrinos)
- indiscernabilité : propriétés identiques et orthogonales
- projecteur : $E^2=E \rightarrow E=0$ ou 1
- décohérence : local + global + interaction des deux
- addition amplitude CKM

SU3

- U3 avec diag(i)
- double couverture SU2 sur SO3 $\rightarrow$ spin

By the far from evidence hypothesis that energy is constant, so finite, there is a constant number u of quantions in the universe. Orthogonal quantions form the surface an hypersphere in a vectorial space of size u , corresponding to the number of quantions. The constant u can be seen as a kind of **universal constant**.

Each energy quantum wave (a) has the same amplitude and same frequency and cover the whole universe on its dimension, so half of the wavelength of (a) can be considered as the size of the universe but this size has no meaning without interaction between quantions.

The total energy of the universe is all the quantions.

Position in space

A position arises in case of interaction.

Interaction is a relation between quantions (q) and (q') :

$$qq'/q = qq'\bar{q} = \bar{q}' = -q' \text{ because } s = s' = 0 \text{ and } ||q|| = ||q'|| = 1$$

A set of quantions can be projected on a 3D direction to form a particle. The multiplication of (n) quantions forms a wave with a frequency of (n) : q^n

But there is others solutions if (n) has (m_i) as divider, one solution is the sum of the m_i waves of frequency (n/m_i) : $m_i q^{n/m_i}$

So the sum of all possibilities is the sum of all dividers (m_i) of (n) : $m_i q^{n/m_i}$

It's a Fourier serie where the sum of waves generates a more accurate virtual position in the space.

Generation of time

Everything is static, without change, because of the standing state. Time is generated from change and from causality, that orders the change.

Propagation

Quantions are expressed as virtual standing waves with $\pi/2$ phase. The frequency of the wave implies speed and time, corresponding to the propagation of the wave.

Propagation is interaction with itself (or with other?) and generates its own time according to special relativity :

$$\langle q|q \rangle = s^2 + x^2 + y^2 + z^2 = c^2 t^2 \quad \text{where } c \text{ is the constant speed of light}$$

Causality

The only thing that could change is the perspective of the observation, the projection on the observer's perspective. A projection is a removal of one or more dimensions. The change of perspective changes the direction of particles or creates particles or destroys particles in the observer's reference. A projection is an interaction. The non-associative bra-ket product introduces the causality by ordering operations, only if there is a scalar part in orthogonal quantions ($q = s + \vec{v}$, $s \neq 0$) because if $q = \vec{v}$, $q' = \vec{v}'$, $q'' = \vec{v}''$

$$\begin{aligned} \langle \langle \vec{v} | \vec{v}' \rangle | \vec{v}'' \rangle &= \langle (\vec{v} \cdot \vec{v}') - (\vec{v} \times \vec{v}') | \vec{v}'' \rangle = -(\vec{v} \cdot \vec{v}') \vec{v}'' + \vec{v} \times \vec{v}' \times \vec{v}'' \\ \langle \vec{v} | \langle \vec{v}' | \vec{v}'' \rangle &= \langle \vec{v} | (\vec{v}' \cdot \vec{v}'') - \vec{v}' \times \vec{v}'' \rangle = (\vec{v}' \cdot \vec{v}'') \vec{v} + \vec{v} \times \vec{v}' \times \vec{v}'' \end{aligned}$$

The scalar part introduces ability of mirroring without changing vectorial part, by changing sign of the scalar part.

Time

The scalar part generates time. The quantions as unitary quaternions are isomorph to SU(2) Lie group and a composition of SU(2) groups generates the standard model, including the Higgs boson.

1. $iSU(2) \times iSU(2) \times iSU(2) \subset U(3)$ (to be consolidated)
2. $\dim(SU(2) \times SU(2) \times SU(2)) = 9 = \dim(U(3))$
3. from (1) and (2) : $U(3) = iSU(2) \times iSU(2) \times iSU(2)$
4. $U(3) = SU(3) \times U(1)$
5. from (3) and (4) : $SU(3) \times SU(2) \times U(1) \times iSU(2) = SU(2) \times SU(2) \times SU(2) \times SU(2) \times SU(2)$

The standard model $SU(3) \times SU(2) \times U(1)$ is based on a broken composition of SU(2). The additionnal $iSU(2)$ in (5) can intuitively be seen as the 3 higgs bosons for the W and Z bosons, as well as the 3 higgs bosons for the 3 families of mass of fermions. The higgs bosons introduce a scalar (imaginary) part in the quantions.

Consequences

Field

The concept of field is immediate, it's the quanton's wave involving the whole universe.

Entanglement

The entanglement between two particles takes place after the interaction of the two particles, they share the same 3D space until the next interaction of one of the particles.

Antimatter

Matter and antimatter interaction generates photons. The antimatter particle (q^*) is the same as its particle (q) except an opposite mass.

$$\begin{aligned} q^* &= -s + \vec{v} = -\bar{q} \\ \rightarrow \langle q|q^* \rangle &= -s^2 + \|\vec{v}\|^2 - 2s\vec{v} \\ \rightarrow \langle q|q^* \rangle &= -2s\vec{v} \quad \text{if } s = \|\vec{v}\| \end{aligned}$$

Shape of the universe

Quantions are orthogonal in their interaction, with an euclidian norm, then the corresponding space-time structure is euclidian, so fundamentally flat.

Relativity

Theory agrees with the special relativity (Lorentz scalar) because of its fit with the Minkowski formula : $x^2+y^2+z^2-c^2t^2 = s^2$. Each elementary element, the quaternion, has its own 3D reference space as required by the special relativity.

According to the above special relativity, gravity is generated by the 'mass' dimension (s) that decreases space (x,y,z) for same time (t), which agrees with the slowing down because of the mass in the general relativity. The general relativity is statistically generated from quantions and is not a fundamental structure of space-time. The number of quantions influences the behaviour of gravitation.

Vérifier le rapport du ralentissement du temps par rapport à la masse.

Unitary electric charge

If everything looks like a rotation of $\pi/2$ phase, the negative electric charge can be defined by a phase shift of $-\pi/2$ (charge -1). **Unit electric charges** could be used for up quark with shift of $2\pi/2$ (charge +2) and down quark with shift of $\pi/2$ (charge +1) because $4\pi/2 \equiv 0$.

- up+up+down = $(2+2+1) \pi/2 \equiv 1 \pi/2$ (proton)
- up+down+down = $(2+1+1) \pi/2 \equiv 0 \pi/2$ (neutron)

By this way, a symmetry could be established between the charge of leptons (electron -1, neutrino 0) and the one of quarks (down +1, up +2).

En accord avec l'expérience de bombardement de proton/neutron par des électrons ? $2+ = 2- ?$

Conclusion

Based on the hope that Nature is simple, this article introduces a new representation of space-time

structure of the universe : an hypersphere structure on a multi-dimensional space, each dimension is an energy quantum with its opposite forming a quaternion covering the whole universe. The implications of this hypothesis are vast and go far beyond this short article.

There is still a long way to involve the whole physic in one theory but this bottom-up approach, from simple principles to more complex structures, in adequation with the observed reality, is probably a good way to elaborate a simple and comprehensive theory. This intuitive approach tries to answer to a fundamental question : why has the universe an apparent 3 dimensional structure in addition of time, which is far from an evidence ?

Whether the theory is correct or not, it seems increasingly clear that the space-time is not a fundamental structure, it's the consequence of the interaction between particles. That's why calculations based on space-time can become unstable. To explain the universe, the ether is not necessary, perhaps neither is space-time.